

**PUBLIC WORKS****MAY 4, 2021**

The meeting was called to order at 6:00 PM by Chair Molly Henkel with the following roll call:

Attendee Name	Title	Status	Arrived
Molly Henkel	Chair	Present	
Jack Abbott	Aldersperson	Present	
Joseph Riese	Aldersperson	Present	

Others present: Don Neitzel, Mayor Boelk, Sara Decker

**APPROVAL OF MINUTES**

None.

**CITIZEN COMMENTS****OTHER ITEMS OF DISCUSSION/POSSIBLE ACTION****Discuss with Possible Action Stormwater Management Study from Kunkel Engineering Group**

Don presented the stormwater management study and discussed options.

They have discussed putting in more and larger culverts to get water through faster. As the river rises there's only so much water that can go in. They discussed places in which stormwater ponds could be created. 1) East side of Gleason-but it is a contaminated site 2)Small site by Seneca-not much bang for your buck 3) Parkview school-spring fed so would need to cap the spring-already acts as a retention pond 4) past Rumar-wetland-DNR not an option.

They discussed adding culverts on Bridge Street and Willow Circle. The Bridge Street would act as a bypass around St. Johns, but would need to be constructed. They discussed whether the culverts at Willow Circle may snowball the issue further down the creek.

The 3rd option that was discussed was a bypass culvert that would get to the river quicker. Don explained the map on this.

No action taken-will need to review further.

**ADJOURNMENT**

Motion

Adjourn at 6:41 p.m.

<b>RESULT:</b>	<b>APPROVED [UNANIMOUS]</b>
<b>MOVER:</b>	Joseph Riese, Aldersperson
<b>SECONDER:</b>	Molly Henkel, Chair
<b>AYES:</b>	Henkel, Abbott, Riese

Sara Decker, City Clerk